

Day : Monday  
Date: 11/12/2007


**PALM INTRANET**

Time: 15:00:48

**Inventor Name Search Result**

Your Search was:

Last Name = KASAI

First Name = TOSHIYUKI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>06636838</u>	<u>4648695</u>	150	08/01/1984	ILLUMINATION APPARATUS FOR TESTING PHOTOELECTRIC TRANSDUCER DEVICE	KASAI, TOSHIYUKI
<u>09956030</u>	<u>6750833</u>	150	09/20/2001	SYSTEM AND METHODS FOR PROVIDING A DRIVING CIRCUIT FOR ACTIVE MATRIX TYPE DISPLAYS	KASAI, TOSHIYUKI
<u>09973847</u>	<u>6864863</u>	150	10/11/2001	DRIVING CIRCUIT INCLUDING ORGANIC ELECTROLUMINESCENT ELEMENT, ELECTRONIC EQUIPMENT, AND ELECTRO-OPTICAL DEVICE	KASAI, TOSHIYUKI
<u>10207091</u>	<u>6989826</u>	150	07/30/2002	DRIVING OF DATA LINES USED IN UNIT CIRCUIT CONTROL	KASAI, TOSHIYUKI
<u>10207100</u>	<u>7012597</u>	150	07/30/2002	SUPPLY OF A PROGRAMMING CURRENT TO A PIXEL	KASAI, TOSHIYUKI
<u>10207965</u>	<u>7102600</u>	150	07/31/2002	SYSTEM AND METHOD FOR MANUFACTURING A ELECTRO-OPTICAL DEVICE	KASAI, TOSHIYUKI
<u>10229045</u>	<u>7088311</u>	150	08/28/2002	CURRENT GENERATING CIRCUIT, SEMICONDUCTOR INTEGRATED CIRCUIT, ELECTRO-OPTICAL DEVICE, AND ELECTRONIC APPARATUS	KASAI, TOSHIYUKI
<u>10337988</u>	<u>7138968</u>	150	01/08/2003	ELECTRONIC CIRCUIT, ELECTROLUMINESCENT DISPLAY DEVICE, ELECTRO-OPTICAL DEVICE, ELECTRONIC APPARATUS, METHOD OF CONTROLLING	KASAI, TOSHIYUKI

				THE CURRENT SUPPLY TO AN ORGANIC ELECTROLUMINESCENT PIXEL, AND METHOD FOR DRIVING A CIRCUIT	
<u>10387516</u>	<u>7145542</u>	150	03/14/2003	SIGNAL TRANSMISSION DEVICE, SIGNAL TRANSMISSION METHOD, ELECTRONIC DEVICE, AND ELECTRONIC EQUIPMENT	KASAI, TOSHIYUKI
<u>10452201</u>	<u>7301514</u>	150	06/03/2003	ELECTRONIC CIRCUIT, ELECTRONIC DEVICE, ELECTRO-OPTICAL DEVICE, AND ELECTRONIC APPARATUS	KASAI, TOSHIYUKI
<u>10629585</u>	<u>7148884</u>	150	07/30/2003	SYSTEM AND METHOD OF DRIVING ELECTRO-OPTICAL DEVICE	KASAI, TOSHIYUKI
<u>10629592</u>	Not Issued	71	07/30/2003	Electronic circuit, electro-optical device, and electronic apparatus	KASAI, TOSHIYUKI
<u>10642740</u>	Not Issued	71	08/19/2003	Electronic circuit, electro-optical device, and electronic apparatus	KASAI, TOSHIYUKI
<u>10669852</u>	Not Issued	41	09/25/2003	Electronic circuit, electronic device, and electronic apparatus	KASAI, TOSHIYUKI
<u>10683347</u>	<u>7151536</u>	150	10/14/2003	ELECTRONIC CIRCUIT, ELECTRO-OPTICAL UNIT, AND ELECTRONIC APPARATUS	KASAI, TOSHIYUKI
<u>10722454</u>	<u>7283108</u>	150	11/28/2003	ELECTRO-OPTICAL DEVICE, METHOD OF DRIVING ELECTRO-OPTICAL DEVICE, AND ELECTRONIC APPARATUS	KASAI, TOSHIYUKI
<u>10724263</u>	<u>7259735</u>	150	12/01/2003	ELECTRO-OPTICAL DEVICE, METHOD OF DRIVING ELECTRO-OPTICAL DEVICE, AND ELECTRONIC APPARATUS	KASAI, TOSHIYUKI
<u>10773334</u>	Not Issued	95	02/09/2004	CURRENT GENERATING CIRCUIT, ELECTRO-OPTICAL APPARATUS, AND ELECTRONIC UNIT	KASAI, TOSHIYUKI
<u>10840261</u>	<u>7091939</u>	150	05/07/2004	SYSTEM AND METHODS FOR PROVIDING A DRIVING CIRCUIT FOR ACTIVE MATRIX TYPE DISPLAYS	KASAI, TOSHIYUKI
<u>10843377</u>	Not	71	05/12/2004	Electro-optical apparatus and	KASAI,

	Issued			method of driving the electro-optical apparatus	TOSHIYUKI
<u>10844485</u>	<u>7274345</u>	150	05/13/2004	ELECTRO-OPTICAL DEVICE AND DRIVING DEVICE THEREOF	KASAI, TOSHIYUKI
<u>10847282</u>	<u>7067983</u>	150	05/18/2004	ELECTRO-OPTICAL DEVICE AND ELECTRONIC APPARATUS	KASAI, TOSHIYUKI
<u>10849834</u>	Not Issued	61	05/21/2004	Electro-optical device, method of driving electro-optical device, and electronic apparatus	KASAI, TOSHIYUKI
<u>10885771</u>	Not Issued	61	07/08/2004	Electro-optical device, method of driving the same and electronic apparatus	KASAI, TOSHIYUKI
<u>10916605</u>	Not Issued	41	08/12/2004	Electro-optical device, driving method therefor, and electronic apparatus	KASAI, TOSHIYUKI
<u>10921221</u>	<u>6954166</u>	150	08/19/2004	CURRENT GENERATING CIRCUIT, ELECTRO-OPTICAL DEVICE, AND ELECTRONIC APPARATUS	KASAI, TOSHIYUKI
<u>10930913</u>	Not Issued	71	09/01/2004	Current generation circuit, method of driving current generation circuit, electro-optical device, and electronic device	KASAI, TOSHIYUKI
<u>10930947</u>	Not Issued	71	09/01/2004	Pixel circuit, method of driving the same, and electronic apparatus	KASAI, TOSHIYUKI
<u>10999921</u>	Not Issued	30	12/01/2004	Electro-optical device, driving circuit and driving method thereof, and electronic apparatus	KASAI, TOSHIYUKI
<u>11006713</u>	Not Issued	30	12/08/2004	Driving circuit, electro-optical device, method of driving the same, and electronic apparatus	KASAI, TOSHIYUKI
<u>11023455</u>	Not Issued	30	12/29/2004	Data line driving circuit, electro-optic device, and electronic apparatus	KASAI, TOSHIYUKI
<u>11044041</u>	Not Issued	71	01/28/2005	Supply of a programming current to a pixel	KASAI, TOSHIYUKI
<u>11092580</u>	Not Issued	30	03/29/2005	Electronic circuit, method of driving electronic circuit, electro-optical device, and electronic apparatus	KASAI, TOSHIYUKI
<u>11104578</u>	Not Issued	30	04/13/2005	DA converter, data line driving circuit, electro-optical device, driving method thereof, and	KASAI, TOSHIYUKI

				electronic apparatus	
<u>11104626</u>	Not Issued	30	04/13/2005	Current supply circuit, current supply device, voltage supply circuit, voltage supply device, electro-optical device, and electronic apparatus	KASAI, TOSHIYUKI
<u>11174729</u>	Not Issued	30	07/06/2005	Electro-optical device, method of driving the same, and electronic apparatus	KASAI, TOSHIYUKI
<u>11179551</u>	Not Issued	25	07/13/2005	Electro-optical device, method of driving the same, data line driving circuit, signal processing circuit, and electronic apparatus	KASAI, TOSHIYUKI
<u>11179744</u>	Not Issued	30	07/13/2005	Data line driving circuit, electro-optical device, data line driving method, and electronic apparatus	KASAI, TOSHIYUKI
<u>11266532</u>	Not Issued	30	11/04/2005	Electronic circuit, electroluminescent display device, electro-optical device, electronic apparatus, method of controlling the current supply to an organic electroluminescent pixel, and method for driving a circuit	KASAI, TOSHIYUKI
<u>11272968</u>	Not Issued	30	11/15/2005	Driving of data lines used in unit circuit control	KASAI, TOSHIYUKI
<u>11279810</u>	Not Issued	93	04/14/2006	ELECTRONIC CIRCUIT, METHOD OF DRIVING ELECTRONIC CIRCUIT, ELECTRO-OPTICAL DEVICE, AND ELECTRONIC APPARATUS	KASAI, TOSHIYUKI
<u>11423369</u>	Not Issued	30	06/09/2006	ELECTRO-OPTICAL DEVICE, DRIVING CIRCUIT THEREOF, AND ELECTRONIC APPARATUS	KASAI, TOSHIYUKI
<u>11461190</u>	Not Issued	30	07/31/2006	SIGNAL TRANSMISSION CIRCUIT, ELECTRO-OPTICAL DEVICE, AND ELECTRONIC APPARATUS	KASAI, TOSHIYUKI
<u>11677738</u>	Not Issued	30	02/22/2007	LIGHT-EMITTING DEVICE, ELECTRONIC APPARATUS, AND DRIVING METHOD	KASAI, TOSHIYUKI
<u>11678800</u>	Not Issued	30	02/26/2007	ELECTRO-OPTICAL DEVICE, ELECTRONIC APPARATUS, AND DRIVING METHOD	KASAI, TOSHIYUKI
<u>11781038</u>	Not	17	07/20/2007	ELECTRO-OPTICAL DEVICE,	KASAI,

	Issued			DRIVE CIRCUIT, AND ELECTRONIC APPARATUS	TOSHIYUKI
<a href="#">11826282</a>	Not Issued	25	07/13/2007	Electro-optical device, method of driving electro-optical device, and electronic apparatus	KASAI, TOSHIYUKI
<a href="#">11826287</a>	Not Issued	25	07/13/2007	Electro-optical device, method of driving electro-optical device, and electronic apparatus	KASAI, TOSHIYUKI
<a href="#">11889892</a>	Not Issued	25	08/17/2007	Electro-optical device and driving device thereof	KASAI, TOSHIYUKI

Inventor Search Completed: No Records to Display.

**Search Another: Inventor**

Last Name	First Name	
<input type="text" value="KASAI"/>	<input type="text" value="TOSHIYUKI"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	shif near register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 15:08
L2	113033	shift near register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 15:09
L3	327321	convert\$5 near3 (data or bits or bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 15:09
L4	4146	2 with 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 15:09
L5	322	4 same predetermin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 15:09
L6	45	5 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/12 15:10
S1	37886	(shift near register or shift near circuit) with (bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 08:10
S2	537	S1 same (chang\$5) near2 (bit or bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 08:11
S3	25	S2 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 08:11

## EAST Search History

S4	379598	gray near scale or brightness or luminance or gray-scale or halftone or half-tone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 10:43
S5	6189	S4 with (shift near register or shift or shift near circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 10:44
S6	309	S5 with bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 10:44
S7	19	S6 same correct\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 10:45
S8	103	S6 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 10:54
S9	2	("6522315").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/24 23:23
S10	2	("20020109702").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/24 23:24
S11	2	("6747669").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/24 23:24
S12	18	("6462722").PN"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/24 23:25
S13	2	("6462722").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/24 23:25